

AF  
3736

PATENT APPLICATION

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In Re the Application of:

DEKKER, Andreas L.

Serial No.: 10/081,165

Filed: February 22, 2002

Confirmation No.: 8432


Atty. File No.: 41942-04510

For: "MONITORING PHYSIOLOGICAL  
PARAMETERS BASED ON VARIATIONS  
IN A PHOTOPLETHYSMOGRAPHIC  
BASELINE SIGNAL"

) Group Art Unit: 3736

) Examiner: MALLARI, Patricia C.

) AMENDMENT AND RESPONSE

<p>CERTIFICATE OF MAILING</p> <p>I HEREBY CERTIFY THAT THIS CORRESPONDENCE IS BEING DEPOSITED WITH THE UNITED STATES POSTAL SERVICE AS FIRST CLASS MAIL IN AN ENVELOPE ADDRESSED TO COMMISSIONER FOR PATENTS, P.O. BOX 1450, ALEXANDRIA, VA 22313-1450 ON <u>MARCH 31, 2004</u>.</p> <p>MARSH FISCHMANN &amp; BREYFOGLE, LLP</p> <p>BY:  TERRI BELICH</p>
--

Mail Stop: After Final  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

RECEIVED

APR 08 2004

TECHNOLOGY CENTER #3700

Dear Sir:

Applicant submits this Amendment and Response to address the Office Action having a mailing date of January 16, 2004. Although Applicant does not believe that any fees are due for filing this response, please charge any underpayment or credit any overpayment to Deposit Account No. 50-1419.

Please amend the above-identified patent application as follows: